

ULTRASOUND EXAM	CLINICAL INDICATION	PREP INDICATED	PREP INSTRUCTIONS
Abdomen	Abdomen pain, pathology, etc. (portal vein flow is documented on this exam)	yes	npo for 8 hours prior to exam
Ltd. Abdomen(1 to 2 organs evaluated)	Pain, elevated labs, hepatitis, cirrhosis, appendicitis(portal vein flow is documented on exam if interested in liver)	yes	Npo for 8 hours prior to exam
Ltd. abdomen	hernia evaluation	no	none
pyloric stenosis	evaluate for pyloric stenosis	yes	Npo minimum of 4 hours
Ascites eval	Evaluate for fluid in abd	no	none
Abdomen pelvis Doppler in out flow complete	Pre-tips work up, veno-occlusive dz, cirrhosis, etc. ovarian torsion	no	none
Pelvic complete non ob <u>Transvaginal us is a separate order</u>	pelvic pain, post menopausal bleeding, evaluation of any type of uterine/ovarian pathology or problems	yes	1 8 oz glass of water every fifteen minutes (4 glasses total) for 1 hour. Bladder needs to be full for this exam
Transvaginal non ob <u>Pelvic complete is a separate order</u>	Pelvic pain, post menopausal bleeding, evaluation of any type of uterine/ovarian pathology or problems	No	None
transvaginal non ob con't		no	none
Ovarian Doppler complete Ovarian Doppler limited(if there is only 1 ovary)	Evaluation of the blood flow to the ovaries	No-if done transvaginally	none
Renal	To eval for any renal pathology or conditions (imaging of organs only no Doppler/color flow is included)	no	none
Renal Doppler	to eval for RAS, RVT or any renal vascular problem	no	none
Head and neck soft tissue	Masses, nodules, or abnormalities of head or neck area. Abscesses, lymph nodes, or thyroid pathology	no	none
Chest	Pleural effusion, masses on chest wall, lipoma or nodules on chest area	no	none

Breast	Must be ordered through <u>Breast Imaging</u> , except if after hours as a emergent exam	no	none
Scrotum and contents <u>Scrotal Doppler is a separate order</u>	Testicle pathology, pain, swelling, masses, torsion. (imaging of organs only no Doppler/color flow is included.)	No	none
Scrotal Doppler <u>Scrotum and contents is a separate order</u>	Eval of testicular blood flow, torsion (Doppler and color flow only no imaging of organs)	no	none
Extremity non vascular LIMITED	MSK exams, joint effusion, soft tissue mass, tumor, lesion, or abscess (if both extremities are needed, order twice) COMPLETE is not used at this facility.	no	none
Extremity Doppler venous Bilateral- 2 extremities Unilateral- 1 extremity	Eval for dvt, cellulitis swelling, pain, venous insufficiency (if upper and lower extremities need to be eval order bilat twice)	no	none
Arterial Doppler	Eval of the lower extremities w ABI's using segmental pressures (no imaging/or color flow included)	No	None
Arterial Doppler con't		no	none

Upper extremity artery Doppler bilateral	Eval of the arterial system of both upper extremities using imaging with color flow and Doppler	no	none
Upper extremity artery Doppler unilateral	Eval of the arterial system of 1 extremity using imaging with color flow and Doppler	no	none
Lower extremity artery Doppler bilateral	Eval of the arterial system of both lower extremities using imaging with color flow and Doppler	no	none
Lower extremity artery Doppler unilateral	Eval of the arterial system of 1 lower extremity using imaging with color flow and Doppler, eval for psuedoanuerysm	no	none